Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6810396").PN.	USPAT; USOCR	OR	OFF	2006/05/03 14:42
S2	1	("6751702").PN.	USPAT; USOCR	OR	OFF	2006/05/03 14:44
S3	1	("6751702").PN.	USPAT; USOCR	OR	OFF	2006/05/03 14:44
S4	1	("6421711").PN.	USPAT; USOCR	OR	OFF	2006/05/03 15:18
S5	0	("20112030").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/03 15:18
S6	1	("20020112030").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/03 15:32
S7	199	(speed\$3 with storages)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 16:00
S8	40764	(speed\$3 with storages)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:00
S9	5	(guarantee\$3 near1 speed\$3 with storages)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:02
S10	718	(paths with speed\$3 with storages)and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:03
S11	4	(paths with speed\$3 with storages) same logical\$3 and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:04

S12	63	(select\$3 with paths with speed\$3 with storages) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:04
S13	0	Nas and (select\$3 with paths with speed\$3 with storages) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:04
S14	4	Nas and (paths with speed\$3 with storages) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:08
S15	473	Nas and (paths with speed\$3) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:08
S16	130	Nas and (paths with high\$1 near1 speed\$3) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:08
S17	5	Nas and (paths with high\$1 near1 speed\$3) with ports and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:10
S18	619101	NAS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:10
S19	165667	NAS and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:11

S20	25583	NAS and speed and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/05/03 16:12
S21	36	NAS and (port\$1 with path\$3 with speed) and @ad<="20001219"	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:13
S22	30	(storage database) same (port\$1 with path\$3 with speed) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:46
S23	1500	(storage database) same (path\$3 with speed) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:47
S24	772	(storage database) with (path\$3 with speed) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:47
S25	116209	(storage database) with ((select\$3 choos\$3) path\$3 with (speed rate\$3)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:48
S26	11175	(storage database) with (access\$3 with (select\$3 choos\$3) path\$3 with (speed rate\$3)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 16:48
S27	171	nas and (storage database) with (access\$3 with (select\$3 choos\$3) path\$3 with (speed rate\$3)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:37

	<u></u>		1			
S28	2832197	((select\$3 choos\$3) path\$3 with (speed rate\$3) with (volume\$1 array41)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:38
S29	2832013	((select\$3 choos\$3) path\$3 with (rate\$3) with (volume\$1 array41)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:38
S30	69	((select\$3 choos\$3)with path\$3 with (rate\$3) with (volume\$1 array41)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:39
S31	1	((select\$3 choos\$3)with path\$3 with (rate\$3) with (storage with(volume\$1 array41))) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:41
S32	4	((select\$3 choos\$3)with path\$3 with (transmitt\$3 with rate\$3) with (storage)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:43
S33	496	((select\$3 choos\$3)near path\$3 with (storage)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:43
S34	496	((select\$3 choos\$3)near1 path\$3 with (storage)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 17:43
S35	14	"709"/\$.ccls. and ((select\$3 choos\$3)near1 path\$3 with (storage)) and @ad<="20001219"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 18:29
S36	1	("20020152239").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/03 18:29